



PRE-CONNECTORIZED OPTICAL ACCESS POINT FK-CTOP

Description	The Pre-terminated Slimbox Drop Terminal FK-CTOP is used as a connection point between the Distribution and Access Networks. The product is compatible with external reinforced SlimConnector optical adapters allowing field installatiosn of SlimConnector pre-terminated drop cables without the need to open the enclosure.
Application	The FK-CTOP is used in outdoor aerial applications. It is equipped with pole or wall installation support. It is possible to install in wire rope. (Sold separately).
Advantage	The SlimConnector reinforced optical adapters allow the connection of the pre-terminated drop cables without interrupting other circuits from drop cables without the need of opening the enclosure to do so. The product has up to two derivations ports (kit sold separately).
Certifications	ANATEL 04444-15-00256
Color	Black RAL 9005
Main Product Material	UV resistant Reinforced Thermoplastic
Splice Capacity	16 Optical splices per tray; Product is equiped with 3 splice trays; Maximum of 96 splices.
protection rating	IP56
Weight (kg)	6.6kg Basic Module
Sealing system type	Mechanical with rubber gasket
Height (mm)	375
Width (mm)	240
Depth (mm)	120
Adapters Quantity	16 SlimConnector Reinforced Optical Adapters
Splice Trays Quantity	Standard: 03 splice trays; Capacity of splice trays up to 6 splice trays.
Input cables capacity	2
Minimum cable Input diameter (mm)	6.5

Maximum cable Input 16.5
diameter (mm)

Derivation cables 4 (in 2 ports)
capacity

Minimum Derivation 6.5
cable diameter (mm)

Maximum Derivation 8.0
cable diameter (mm)




Supports midspan at Yes (Up to 1.5m with 1.9mm diameter tube)
the main entrance

Operation -25° a 75°
Temperature (°C)

Included Accessories Installation guide;
Splice sleeves;
PE Tubes for fiber protection.

Identification	PRE-TERMINATED	SLIMBOX	DROP	TERMINAL	FK-CTOP-16P	(BM	SLIM)
	PRE-TERMINATED	SLIMBOX	DROP	TERMINAL	FK-CTOP-16P	(1x8	SLIM)
	PRE-TERMINATED	SLIMBOX	DROP	TERMINAL	FK-CTOP-16P	(2 x 1x8	SLIM)
	PRE-TERMINATED SLIMBOX DROP TERMINAL FK-CTOP-16P (1x16 SLIM)						

Technical drawing



Compatibility	35520264 - STRAND MOUNTING SUPPORT
	35520108 - DERIVATION KIT WITH 1 GROMMET
	35520093 - SPLICE TRAY 16F FOR PRE-TERMINATED SLIMBOX

Warranty	12 months
----------	-----------

[Part Numbers](#)